

Colorado Fox Hollow Golf Course - Links-Canyon Men's - Black

Course Rating™: 72.7 - Slope Rating®: 135 - Par: 71

+50to $+4.4$ $+4.4$ 24.2 to 24.9 31 $+4.3$ to $+3.6$ $+3$ 25.0 to 25.7 32 $+3.5$ to $+2.7$ $+2.2$ 25.8 to 26.6 33 $+2.6$ to 11.9 $+1$ 26.7 to 27.4 34 $+1.8$ to $+1.1$ 0 27.5 to 28.2 35 $+1.0$ to $+0.2$ 1 28.3 to 29.1 36 $+0.1$ to 6.6 2 29.2 to 29.9 37 0.7 to 1.5 3 30.0 to 30.8 38 1.6 to 2.3 4 30.9 to 31.6 39 2.4 to 3.1 5 31.7 to 32.4 40 3.2 to 4.0 6 32.5 to 33.3 41 4.1 to 4.8 7 33.4 to 34.1 4.1 to 4.8 7 33.4 to 34.1 4.9 to 6.5 9 35.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 8.3 47 9.9 to 10.7 14 39.2 to 40.1 49 <	Handica	ıp Ir	ldex®	Course	Handicap™	Handio	ap I	ndex®	Course Handicap™		
+4.3to+3.6+325.0to25.732+3.5to+2.7+225.8to26.633+2.6to+1.1027.5to28.235+1.0to+0.2128.3to29.136+0.1to0.6229.2to29.9370.7to1.5330.0to30.8381.6to2.3430.9to31.6392.4to3.1531.7to32.4403.2to4.0632.5to33.3414.1to4.8733.4to34.1424.9to5.6834.2to34.9435.7to6.5935.0to35.8446.6to7.31035.9to36.6457.4to8.21136.7to37.4468.3to9.01237.5to38.3479.1to9.81338.4to39.1489.9to10.71439.2to40.04910.8to11.51540.1to43.35314.1to14.81943.4to43.35314.4to15.72044.2to	+5.0	to	+4.4		+4	24.2	to	24.9		31	
+2.6to $+1.9$ $+1$ 26.7 to 27.4 34 $+1.8$ to $+1.1$ 0 27.5 to 28.2 35 $+1.0$ to $+0.2$ 1 28.3 to 29.1 36 $+0.1$ to 0.6 2 29.2 to 29.9 37 0.7 to 1.5 3 30.0 to 30.8 38 1.6 to 2.3 4 30.9 to 31.6 39 2.4 to 3.1 5 31.7 to 32.4 40 3.2 to 4.0 6 32.5 to 33.3 41 4.1 to 4.8 7 33.4 to 34.1 42 4.9 to 5.6 8 34.2 to 34.9 43 5.7 to 6.5 9 50.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 43.3 53 11.6 to 12.3 16 40.9 to											
+2.6to $+1.9$ $+1$ 26.7 to 27.4 34 $+1.8$ to $+1.1$ 0 27.5 to 28.2 35 $+1.0$ to $+0.2$ 1 28.3 to 29.1 36 $+0.1$ to 0.6 2 29.2 to 29.9 37 0.7 to 1.5 3 30.0 to 30.8 38 1.6 to 2.3 4 30.9 to 31.6 39 2.4 to 3.1 5 31.7 to 32.4 40 3.2 to 4.0 6 32.5 to 33.3 41 4.1 to 4.8 7 33.4 to 34.1 42 4.9 to 5.6 8 34.2 to 34.9 43 5.7 to 6.5 9 50.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 40.8 50 11.6 to 12.3 16 40.9 to 41.6	+3.5	to			+2		to				
+1.8to $+1.1$ 0 27.5 to 28.2 35 $+1.0$ to $+0.2$ 1 28.3 to 29.1 36 $+0.1$ to 0.6 2 29.2 to 29.9 37 0.7 to 1.5 3 30.0 to 30.8 38 1.6 to 2.3 4 30.9 to 31.6 39 2.4 to 3.1 5 31.7 to 32.4 40 3.2 to 4.0 6 32.5 to 33.3 41 4.1 to 4.8 7 33.4 to 34.1 42 4.9 to 5.6 8 34.2 to 34.9 43 5.7 to 6.5 9 35.0 to 35.8 44 6.6 to 7.3 10 35.9 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 8.8 13 38.4 to 40.1 48 9.9 to 10.7 14 39.2 to 40.9 43.5 10.8 to 11.5 15 40.1 to 40.8 50 11.6 to 12.3 16 40.9 to 41.6 51 12.4 to 14.6 51 52.5 52 52 <	+2.6	to	+1.9		+1		to			34	
+1.0to $+0.2$ 1 28.3 to 29.1 36 $+0.1$ to 0.6 2 29.2 to 29.9 37 0.7 to 1.5 3 30.0 to 30.8 38 16 to 2.3 4 30.9 to 31.6 39 2.4 to 3.1 5 31.7 to 32.4 40 3.2 to 4.0 6 32.5 to 33.3 41 4.1 to 4.8 7 33.4 to 34.9 43 4.7 56.6 8 34.2 to 34.9 43 5.7 to 6.5 9 35.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 7.4 to 8.2 11 36.7 to 37.4 46 7.4 to 8.2 11 36.7 to 37.5 58.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 12.3 16 40.9 to 41.6 51 12.4 to 12.3 16 40.9 to 43.3 53 14.6 19.0 48 19.6 43.3 5		to	+1.1		0		to	28.2			
0.7to 1.5 3 30.0 to 30.8 38 1.6 to 2.3 4 30.9 to 31.6 39 2.4 to 3.1 5 31.7 to 32.4 40 3.2 to 4.0 6 32.5 to 33.3 41 4.1 to 4.8 7 33.4 to 34.1 42 4.9 to 5.6 8 34.2 to 34.9 43 5.7 to 6.5 9 35.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 40.8 50 11.6 12.3 16 40.9 to 41.6 51 12.4 10.7 14.7 39.2 43.3 53 11.6 12.2 17 41.7 $t0$ 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.4 19.4 43.4 16.4 50 55 55 15.8 to 16.5 21.4 47.6 $t0$ 48.3 59 <t< td=""><td>+1.0</td><td>to</td><td>+0.2</td><td></td><td>1</td><td>28.3</td><td>to</td><td>29.1</td><td></td><td>36</td></t<>	+1.0	to	+0.2		1	28.3	to	29.1		36	
1.6to 2.3 4 30.9 to 31.6 39 2.4to 3.1 5 31.7 to 32.4 40 3.2 to 4.0 6 32.5 to 33.3 41 4.1 to 4.8 7 33.4 to 34.1 42 4.9 to 5.6 8 34.2 to 34.9 43 5.7 to 6.5 9 35.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 40.8 50 11.6 to 12.3 16 40.9 to 41.6 51 12.4 10.7 14.7 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.4 19 43.4 to 44.1 54 14.9 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.8 56 16.6 <td>+0.1</td> <td>to</td> <td>0.6</td> <td></td> <td>2</td> <td>29.2</td> <td>to</td> <td>29.9</td> <td></td> <td>37</td>	+0.1	to	0.6		2	29.2	to	29.9		37	
1.6to 2.3 4 30.9 to 31.6 39 2.4to 3.1 5 31.7 to 32.4 40 3.2 to 4.0 6 32.5 to 33.3 41 4.1 to 4.8 7 33.4 to 34.1 42 4.9 to 5.6 8 34.2 to 34.9 43 5.7 to 6.5 9 35.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 40.8 50 11.6 12.3 16 40.9 to 41.6 51 12.4 10.7 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.1 to 14.8 19 43.4 to 45.1 14.9 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 46.7 57 17.4 <	0.7	to			3	30.0	to	30.8		38	
2.4to 3.1 5 31.7 to 32.4 40 3.2 to 4.0 6 32.5 to 33.3 41 4.1 to 4.8 7 33.4 to 34.1 42 4.9 to 5.6 8 34.2 to 34.9 43 5.7 to 6.5 9 35.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 8.2 11 36.7 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 40.8 50 11.6 10.7 14 39.2 to 40.0 49 10.8 10.7 14 39.2 to 40.0 49 10.8 10.7 14 39.2 to 40.5 52 13.3 16 40.9 10 41.6 51 12.4 10 18 42.6 10 43.3 53 14.1 14.8 19 43.4 10 44.1 54 14.9 10 15.7 20 44.2 10 45.0 55 15.8 10 <		to			4		to				
4.1to 4.8 7 33.4 to 34.1 42 4.9 to 5.6 8 34.2 to 34.9 43 5.7 to 6.5 9 35.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 40.6 51 11.6 to 12.3 16 40.9 to 41.6 51 11.4 to 13.2 17 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.1 to 14.8 19 43.4 to 44.1 54 14.9 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to<	2.4	to			5		to			40	
4.1to 4.8 7 33.4 to 34.1 42 4.9 to 5.6 8 34.2 to 34.9 43 5.7 to 6.5 9 35.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 40.6 51 11.6 to 12.3 16 40.9 to 41.6 51 11.4 to 13.2 17 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.1 to 14.8 19 43.4 to 44.1 54 14.9 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to<	3.2	to	4.0		6	32.5	to	33.3		41	
5.7to 6.5 9 35.0 to 35.8 44 6.6 to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 40.8 50 11.6 to 12.3 16 40.9 to 41.6 51 12.4 to 13.2 17 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.1 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.8 566 16.6 to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 21.5 27 50.1 <t< td=""><td></td><td>to</td><td>4.8</td><td></td><td>7</td><td></td><td>to</td><td></td><td></td><td>42</td></t<>		to	4.8		7		to			42	
6.6to 7.3 10 35.9 to 36.6 45 7.4 to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 40.8 50 11.6 to 12.3 16 40.9 to 41.6 51 12.4 to 13.2 17 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.1 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.8 56 16.6 to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.2 20.0 60.2 6	4.9	to	5.6		8	34.2	to	34.9		43	
7.4to 8.2 11 36.7 to 37.4 46 8.3 to 9.0 12 37.5 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 40.8 50 11.6 to 12.3 16 40.9 to 41.6 51 12.4 to 13.2 17 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.1 to 14.8 19 43.4 to 44.1 54 14.9 to 15.7 20 44.2 to 45.8 56 15.8 to 16.5 21 45.1 to 45.8 56 16.6 to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 20.7 26 49.3 to 50.0 61 20.8 to 21.5 27 50.1 to 50.8 62 21.6 to 22.4 28 50.9 <	5.7	to	6.5		9	35.0	to	35.8		44	
8.3to 9.0 12 37.5 to 38.3 47 9.1 to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 40.8 50 11.6 to 12.3 16 40.9 to 41.6 51 12.4 to 13.2 17 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.1 to 14.8 19 43.4 to 44.1 54 14.9 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.8 56 16.6 to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 21.5 27 50.1 to 50.0 61 20.8 to 21.5 27 50.1 to 50.8 62 21.6 to 23.2 29 51.8 to 53.4 65	6.6	to	7.3		10	35.9	to	36.6		45	
9.1to 9.8 13 38.4 to 39.1 48 9.9 to 10.7 14 39.2 to 40.0 49 10.8 to 11.5 15 40.1 to 40.8 50 11.6 to 12.3 16 40.9 to 41.6 51 12.4 to 13.2 17 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.1 to 14.8 19 43.4 to 44.1 54 14.9 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.8 56 16.6 to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 20.7 26 49.3 to 50.0 61 20.8 to 21.5 27 50.1 to 50.8 62 21.6 to 23.2 29 51.8 to 52.5 64 23.3 to 24.1 30 52.6 to 53.4 65	7.4	to	8.2		11	36.7	to	37.4		46	
9.9to10.714 39.2 to 40.0 4910.8to11.51540.1to40.85011.6to12.31640.9to41.65112.4to13.21741.7to42.55213.3to14.01842.6to43.35314.1to14.81943.4to44.15414.9to15.72044.2to45.05515.8to16.52145.1to45.85616.6to17.42245.9to46.75717.5to18.22346.8to47.55818.3to19.02447.6to48.35919.1to19.92548.4to49.26020.0to20.72649.3to50.06120.8to21.52750.1to50.86221.6to22.42850.9to51.76322.5to23.22951.8to52.56423.3to24.13052.6to53.465	8.3	to	9.0		12	37.5	to	38.3		47	
10.8to 11.5 15 40.1 to 40.8 50 11.6 to 12.3 16 40.9 to 41.6 51 12.4 to 13.2 17 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.1 to 14.8 19 43.4 to 44.1 54 14.9 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.8 56 16.6 to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 20.7 26 49.3 to 50.0 61 20.8 to 21.5 27 50.1 to 50.8 62 21.6 to 23.2 29 51.8 to 52.5 64 23.3 to 24.1 30 52.6 to 53.4 65	9.1	to	9.8		13	38.4	to	39.1		48	
11.6to12.316 40.9 to 41.6 5112.4to13.217 41.7 to 42.5 5213.3to14.018 42.6 to 43.3 5314.1to14.819 43.4 to 44.1 5414.9to15.720 44.2 to 45.0 5515.8to16.521 45.1 to 45.8 5616.6to17.422 45.9 to 46.7 5717.5to18.223 46.8 to 47.5 5818.3to19.024 47.6 to 48.3 5919.1to19.925 48.4 to 49.2 60 20.0to20.726 49.3 to 50.0 61 20.8to21.527 50.1 to 50.8 62 21.6to22.428 50.9 to 51.7 63 22.5to23.229 51.8 to 52.5 64 23.3to24.130 52.6 to 53.4 65	9.9	to	10.7		14	39.2	to	40.0		49	
12.4to 13.2 17 41.7 to 42.5 52 13.3 to 14.0 18 42.6 to 43.3 53 14.1 to 14.8 19 43.4 to 44.1 54 14.9 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.8 56 16.6 to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 20.7 26 49.3 to 50.0 61 20.8 to 21.5 27 50.1 to 50.8 62 21.6 to 23.2 29 51.8 to 52.5 64 23.3 to 24.1 30 52.6 to 53.4 65	10.8	to	11.5		15	40.1	to	40.8		50	
13.3to14.01842.6to43.35314.1to14.81943.4to44.15414.9to15.72044.2to45.05515.8to16.52145.1to45.85616.6to17.42245.9to46.75717.5to18.22346.8to47.55818.3to19.02447.6to48.35919.1to19.92548.4to49.26020.0to20.72649.3to50.06120.8to21.52750.1to50.86221.6to22.42850.9to51.76322.5to23.22951.8to52.56423.3to24.13052.6to53.465	11.6	to	12.3		16	40.9	to	41.6		51	
14.1to 14.8 19 43.4 to 44.1 54 14.9 to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.8 56 16.6 to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 20.7 26 49.3 to 50.0 61 20.8 to 21.5 27 50.1 to 50.8 62 21.6 to 22.4 28 50.9 to 51.7 63 22.5 to 23.2 29 51.8 to 52.5 64 23.3 to 24.1 30 52.6 to 53.4 65	12.4	to	13.2		17	41.7	to	42.5		52	
14.9to 15.7 20 44.2 to 45.0 55 15.8 to 16.5 21 45.1 to 45.8 56 16.6 to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 20.7 26 49.3 to 50.0 61 20.8 to 21.5 27 50.1 to 50.8 62 21.6 to 22.4 28 50.9 to 51.7 63 22.5 to 23.2 29 51.8 to 52.5 64 23.3 to 24.1 30 52.6 to 53.4 65	13.3	to	14.0		18	42.6	to	43.3		53	
15.8to 16.5 21 45.1 to 45.8 56 16.6 to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 20.7 26 49.3 to 50.0 61 20.8 to 21.5 27 50.1 to 50.8 62 21.6 to 22.4 28 50.9 to 51.7 63 22.5 to 23.2 29 51.8 to 52.5 64 23.3 to 24.1 30 52.6 to 53.4 65	14.1	to	14.8		19	43.4	to	44.1		54	
16.6to 17.4 22 45.9 to 46.7 57 17.5 to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 20.7 26 49.3 to 50.0 61 20.8 to 21.5 27 50.1 to 50.8 62 21.6 to 22.4 28 50.9 to 51.7 63 22.5 to 23.2 29 51.8 to 52.5 64 23.3 to 24.1 30 52.6 to 53.4 65	14.9	to	15.7		20	44.2	to	45.0		55	
17.5to 18.2 23 46.8 to 47.5 58 18.3 to 19.0 24 47.6 to 48.3 59 19.1 to 19.9 25 48.4 to 49.2 60 20.0 to 20.7 26 49.3 to 50.0 61 20.8 to 21.5 27 50.1 to 50.8 62 21.6 to 22.4 28 50.9 to 51.7 63 22.5 to 23.2 29 51.8 to 52.5 64 23.3 to 24.1 30 52.6 to 53.4 65	15.8	to	16.5		21	45.1	to	45.8		56	
18.3to19.02447.6to48.35919.1to19.92548.4to49.26020.0to20.72649.3to50.06120.8to21.52750.1to50.86221.6to22.42850.9to51.76322.5to23.22951.8to52.56423.3to24.13052.6to53.465	16.6	to	17.4		22	45.9	to	46.7		57	
19.1to19.92548.4to49.26020.0to20.72649.3to50.06120.8to21.52750.1to50.86221.6to22.42850.9to51.76322.5to23.22951.8to52.56423.3to24.13052.6to53.465	17.5	to	18.2		23	46.8	to	47.5		58	
20.0to20.72649.3to50.06120.8to21.52750.1to50.86221.6to22.42850.9to51.76322.5to23.22951.8to52.56423.3to24.13052.6to53.465	18.3	to	19.0		24	47.6	to	48.3		59	
20.8to21.52750.1to50.86221.6to22.42850.9to51.76322.5to23.22951.8to52.56423.3to24.13052.6to53.465	19.1	to	19.9		25	48.4	to	49.2		60	
21.6to22.42850.9to51.76322.5to23.22951.8to52.56423.3to24.13052.6to53.465	20.0	to	20.7		26	49.3	to	50.0		61	
22.5 to23.22951.8 to52.56423.3 to24.13052.6 to53.465		to	21.5				to				
23.3 to 24.1 30 52.6 to 53.4 65	21.6	to	22.4		28	50.9	to	51.7		63	
		to	23.2			51.8	to	52.5			
53.5 to 54.0 66	23.3	to	24.1		30	52.6	to	53.4		65	
						53.5	to	54.0		66	

INSTRUCTIONS

* When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap[™] which corresponds with it in the right column.



Colorado Fox Hollow Golf Course - Links-Canyon Men's - Blue

Course Rating[™]: 70.8 - Slope Rating[®]: 130 - Par: 71

Handicap Index®	Course Handicap™	Handicap Index®	Course Handicap™
+5.0 to +4.7	+6	24.1 to 24.9	28
+4.6 to +3.8	+5	25.0 to 25.8	29
+3.7 to +2.9	+4	25.9 to 26.6	30
+2.8 to +2.0	+3	26.7 to 27.5	31
+1.9 to +1.2	+2	27.6 to 28.4	32
+1.1 to +0.3	+1	28.5 to 29.2	33
+0.2 to 0.6	0	29.3 to 30.1	34
0.7 to 1.4	1	30.2 to 31.0	35
1.5 to 2.3	2	31.1 to 31.9	36
2.4 to 3.2	3	32.0 to 32.7	37
3.3 to 4.0	4	32.8 to 33.6	38
4.1 to 4.9	5	33.7 to 34.5	39
5.0 to 5.8	6	34.6 to 35.3	40
5.9 to 6.6	7	35.4 to 36.2	41
6.7 to 7.5	8	36.3 to 37.1	42
7.6 to 8.4	9	37.2 to 37.9	43
8.5 to 9.3	10	38.0 to 38.8	44
9.4 to 10.1	11	38.9 to 39.7	45
10.2 to 11.0	12	39.8 to 40.5	46
11.1 to 11.9	13	40.6 to 41.4	47
12.0 to 12.7	14	41.5 to 42.3	48
12.8 to 13.6	15	42.4 to 43.2	49
13.7 to 14.5	16	43.3 to 44.0	50
14.6 to 15.3	17	44.1 to 44.9	51
15.4 to 16.2	18	45.0 to 45.8	52
16.3 to 17.1	19	45.9 to 46.6	53
17.2 to 17.9	20	46.7 to 47.5	54
18.0 to 18.8	21	47.6 to 48.4	55
18.9 to 19.7	22	48.5 to 49.2	56
19.8 to 20.6	23	49.3 to 50.1	57
20.7 to 21.4	24	50.2 to 51.0	58
21.5 to 22.3	25	51.1 to 51.8	59
22.4 to 23.2	26	51.9 to 52.7	60
23.3 to 24.0	27	52.8 to 53.6	61
		53.7 to 54.0	62

INSTRUCTIONS

* When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap[™] which corresponds with it in the right column.



Colorado Fox Hollow Golf Course - Links-Canyon Men's - White

Course Rating[™]: 68.2 - Slope Rating[®]: 122 - Par: 71

Handicap	Index®	Course Handicap™	Handi	cap I	ndex®	Course Handicap™
+5.0 to	+4.4	+8	24.4	to	25.2	24
+4.3 to	+3.5	+7	25.3	to	26.2	25
+3.4 to	+2.6	+6	26.3	to	27.1	26
+2.5 to	+1.6	+5	27.2	to	28.0	27
+1.5 to	+0.7	+4	28.1	to	28.9	28
+0.6 to	0.2	+3	29.0	to	29.9	29
0.3 to	1.2	+2	30.0	to	30.8	30
1.3 to	2.1	+1	30.9	to	31.7	31
2.2 to	3.0	0	31.8	to	32.6	32
3.1 to	3.9	1	32.7	to	33.6	33
4.0 to	4.9	2	33.7	to	34.5	34
5.0 to	5.8	3	34.6	to	35.4	35
5.9 to	6.7	4	35.5	to	36.4	36
6.8 to	7.6	5	36.5	to	37.3	37
7.7 to	8.6	6	37.4	to	38.2	38
8.7 to	9.5	7	38.3	to	39.1	39
9.6 to	10.4	8	39.2	to	40.1	40
10.5 to	11.3	9	40.2	to	41.0	41
11.4 to	12.3	10	41.1	to	41.9	42
12.4 to	13.2	11	42.0	to	42.8	43
13.3 to	14.1	12	42.9	to	43.8	44
14.2 to	15.0	13	43.9	to	44.7	45
15.1 to	16.0	14	44.8	to	45.6	46
16.1 to	16.9	15	45.7	to	46.5	47
17.0 to	17.8	16	46.6	to	47.5	48
17.9 to	18.8	17	47.6	to	48.4	49
18.9 to	19.7	18	48.5	to	49.3	50
19.8 to	20.6	19	49.4	to	50.2	51
20.7 to	21.5	20	50.3	to	51.2	52
21.6 to	22.5	21	51.3	to	52.1	53
22.6 to	23.4	22	52.2	to	53.0	54
23.5 to	24.3	23	53.1	to	53.9	55
			54.0	to	54.0	56

INSTRUCTIONS

* When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap[™] which corresponds with it in the right column.



Colorado Fox Hollow Golf Course - Links-Canyon Men's - White-Silver

Course Rating™: 65.8 - Slope Rating®: 116 - Par: 71

Handicap	Index®	Course Handicap™	и	Handio	cap I	ndex®	Course Handicap™
+5.0 to	+4.2	+10		24.1	to	25.0	20
+4.1 to	+3.3	+9		25.1	to	26.0	21
+3.2 to	+2.3	+8		26.1	to	26.9	22
+2.2 to	+1.3	+7		27.0	to	27.9	23
+1.2 to	+0.3	+6		28.0	to	28.9	24
+0.2 to	0.6	+5		29.0	to	29.9	25
0.7 to	1.6	+4		30.0	to	30.8	26
1.7 to	2.6	+3		30.9	to	31.8	27
2.7 to	3.6	+2		31.9	to	32.8	28
3.7 to	4.5	+1		32.9	to	33.8	29
4.6 to	5.5	0		33.9	to	34.7	30
5.6 to	6.5	1		34.8	to	35.7	31
6.6 to	7.5	2		35.8	to	36.7	32
7.6 to	8.4	3		36.8	to	37.6	33
8.5 to	9.4	4		37.7	to	38.6	34
9.5 to	10.4	5		38.7	to	39.6	35
10.5 to	11.3	6		39.7	to	40.6	36
11.4 to	12.3	7		40.7	to	41.5	37
12.4 to	13.3	8		41.6	to	42.5	38
13.4 to	14.3	9		42.6	to	43.5	39
14.4 to	15.2	10		43.6	to	44.5	40
15.3 to	16.2	11		44.6	to	45.4	41
16.3 to	17.2	12		45.5	to	46.4	42
17.3 to	18.2	13		46.5	to	47.4	43
18.3 to	19.1	14		47.5	to	48.4	44
19.2 to	20.1	15		48.5	to	49.3	45
20.2 to	21.1	16		49.4	to	50.3	46
21.2 to	22.1	17		50.4	to	51.3	47
22.2 to	23.0	18		51.4	to	52.3	48
23.1 to	24.0	19		52.4	to	53.2	49
				53.3	to	54.0	50

INSTRUCTIONS

* When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap[™] which corresponds with it in the right column.



Colorado Fox Hollow Golf Course - Links-Canyon Men's - Silver

Course Rating™: 64.8 - Slope Rating®: 112 - Par: 71

Handic	ap I	ndex®	Course Handicap™	Handic	ap I	ndex®	Course Handicap™
+5.0	to	+4.4	+11	24.0	to	24.9	18
+4.3	to	+3.4	+10	25.0	to	25.9	19
+3.3	to	+2.4	+9	26.0	to	26.9	20
+2.3	to	+1.4	+8	27.0	to	27.9	21
+1.3	to	+0.4	+7	28.0	to	28.9	22
+0.3	to	0.7	+6	29.0	to	29.9	23
0.8	to	1.7	+5	30.0	to	30.9	24
1.8	to	2.7	+4	31.0	to	31.9	25
2.8	to	3.7	+3	32.0	to	32.9	26
3.8	to	4.7	+2	33.0	to	34.0	27
4.8	to	5.7	+1	34.1	to	35.0	28
5.8	to	6.7	0	35.1	to	36.0	29
6.8	to	7.7	1	36.1	to	37.0	30
7.8	to	8.7	2	37.1	to	38.0	31
8.8	to	9.7	3	38.1	to	39.0	32
9.8	to	10.7	4	39.1	to	40.0	33
10.8	to	11.8	5	40.1	to	41.0	34
11.9	to	12.8	6	41.1	to	42.0	35
12.9	to	13.8	7	42.1	to	43.0	36
13.9	to	14.8	8	43.1	to	44.0	37
14.9	to	15.8	9	44.1	to	45.0	38
15.9	to	16.8	10	45.1	to	46.1	39
16.9	to	17.8	11	46.2	to	47.1	40
17.9	to	18.8	12	47.2	to	48.1	41
18.9	to	19.8	13	48.2	to	49.1	42
19.9	to	20.8	14	49.2	to	50.1	43
20.9	to	21.8	15	50.2	to	51.1	44
21.9	to	22.9	16	51.2	to	52.1	45
23.0	to	23.9	17	52.2	to	53.1	46
				53.2	to	54.0	47

INSTRUCTIONS

* When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap[™] which corresponds with it in the right column.



Colorado Fox Hollow Golf Course - Links-Canyon Women's - White

Course Rating™: 74.2 - Slope Rating®: 135 - Par: 71

Handica	p Inde>	Rev Course Handicap™	Handid	cap I	ndex®	Course Handicap™
+5.0 t	o +4.8	3 +3	24.6	to	25.3	33
+4.7 t	o +4.0) +2	25.4	to	26.1	34
+3.9 t	o +3.	1 +1	26.2	to	27.0	35
+3.0 t	o +2.3	3 0	27.1	to	27.8	36
+2.2 t	o +1.	5 1	27.9	to	28.7	37
+1.4 t	o +0.0	6 2	28.8	to	29.5	38
+0.5 t	o 0.2	3	29.6	to	30.3	39
0.3 t	o 1.0	4	30.4	to	31.2	40
1.1 t	o 1.9	5	31.3	to	32.0	41
2.0 t	o 2.7	6	32.1	to	32.8	42
2.8 t	o 3.5	7	32.9	to	33.7	43
3.6 t	o 4.4	8	33.8	to	34.5	44
4.5 t	o 5.2	9	34.6	to	35.4	45
5.3 t	o 6.1	10	35.5	to	36.2	46
6.2 t	o 6.9	11	36.3	to	37.0	47
7.0 t	o 7.7	12	37.1	to	37.9	48
7.8 t	o 8.6	13	38.0	to	38.7	49
8.7 t	o 9.4	14	38.8	to	39.5	50
9.5 t	o 10.2	2 15	39.6	to	40.4	51
10.3 t	o 11.1	1 16	40.5	to	41.2	52
11.2 t	o 11.9) 17	41.3	to	42.1	53
12.0 t	o 12.8	3 18	42.2	to	42.9	54
12.9 t	o 13.6	6 19	43.0	to	43.7	55
13.7 t	o 14.4	4 20	43.8	to	44.6	56
14.5 t	o 15.3	3 21	44.7	to	45.4	57
15.4 t	o 16.1	1 22	45.5	to	46.2	58
16.2 t	o 16.9	23	46.3	to	47.1	59
17.0 t	o 17.8	3 24	47.2	to	47.9	60
17.9 t	o 18.6	6 25	48.0	to	48.7	61
18.7 t	o 19.5	5 26	48.8	to	49.6	62
19.6 t	o 20.3		49.7	to	50.4	63
20.4 t	o 21.1	1 28	50.5	to	51.3	64
21.2 t	o 22.0) 29	51.4	to	52.1	65
	o 22.8		52.2	to	52.9	66
22.9 t	o 23.6		53.0	to	53.8	67
23.7 t	o 24.	5 32	53.9	to	54.0	68

INSTRUCTIONS

* When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap[™] which corresponds with it in the right column.



Colorado Fox Hollow Golf Course - Links-Canyon Women's - White-Silver

Course Rating[™]: 72.4 - Slope Rating[®]: 131 - Par: 71

+5.0to $+4.3$ $+4$ 24.3 to 25.1 30 $+4.2$ to $+3.4$ $+3$ 25.2 to 25.9 31 $+3.3$ to $+2.6$ $+2.2$ 26.0 to 26.8 32 $+2.5$ to $+1.7$ $+1$ 26.9 02.76 33 $+1.6$ to 0.0 1 28.6 to 29.4 35 $+1.6$ to 0.9 2 29.5 to 30.2 36 1.0 to 0.9 2 29.5 to 30.2 36 1.0 to 1.8 3 30.3 to 31.1 37 1.9 to 2.6 4 31.2 to 32.8 39 3.6 to 4.3 6 32.9 to 33.7 40 4.4 to 52.2 7 33.8 to 34.5 41 53 to 6.1 8 34.6 to 35.4 42 62 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 47 7.0 to 7.8 10 36.4 to 39.7 47 7.0 to 7.8 10 36.4 to 39.7 47 7.0 to 7.7 18 39.9 46 59 9.6 <t< th=""><th>Handio</th><th>cap I</th><th>ndex®</th><th>Course Handicap™</th><th>Handic</th><th>ap I</th><th>ndex®</th><th>Course Handicap™</th></t<>	Handio	cap I	ndex®	Course Handicap™	Handic	ap I	ndex®	Course Handicap™
+4.2to $+3.4$ $+3$ 25.2 to 25.9 31 $+3.3$ to $+2.6$ $+2$ 26.0 to 25.8 32 $+2.5$ to $+1.7$ $+1$ 26.9 to 27.6 33 $+1.6$ to $+0.8$ 0 27.7 to 28.5 34 $+0.7$ to 0.0 1 28.6 to 29.4 35 0.1 to 0.9 2 29.5 to 30.2 36 1.0 to 1.8 3 30.3 to 31.1 37 1.9 to 2.6 4 31.2 to 32.0 38 2.7 to 3.5 5 32.1 to 32.8 39 3.6 to 4.3 6 32.9 to 33.7 40 4.4 to 5.2 7 33.8 to 34.5 41 5.3 to 6.1 8 34.6 to 35.4 42 6.2 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.0 to 7.8 10 36.4 to 37.1 44 7.0 to 8.7 11 37.2 to 38.9 46 7.0 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 42.3	+5.0	to	+4.3	+4	24.3	to	25.1	30
+25to $+1.7$ $+1$ 26.9 to 27.6 33 $+1.6$ to $+0.8$ 0 27.7 to 28.5 34 $+0.7$ to 0.0 1 28.6 to 30.2 36 10.1 to 0.9 2 29.5 to 30.2 36 1.0 to 1.8 3 30.3 to 31.1 37 1.9 to 2.6 4 31.2 to 32.0 38 2.7 to 3.5 5 32.1 to 32.8 39 3.6 to 4.3 6 2.9 to 33.7 40 4.4 to 5.2 7 33.8 to 34.5 41 5.3 to 6.1 8 34.6 to 35.4 42 6.2 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.0 45 8.8 to 9.5 12 38.1 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 42.3 50 13.1 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to <t< td=""><td>+4.2</td><td>to</td><td>+3.4</td><td>+3</td><td>25.2</td><td>to</td><td>25.9</td><td>31</td></t<>	+4.2	to	+3.4	+3	25.2	to	25.9	31
+1.6to $+0.8$ 0 27.7 to 28.5 34 $+0.7$ to 0.0 1 28.6 to 29.4 35 0.1 to 0.9 2 29.5 to 30.2 36 1.0 to 1.8 3 30.3 to 31.1 37 1.9 to 2.6 4 31.2 to 32.0 38 2.7 to 3.5 5 32.1 to 32.8 39 3.6 to 4.3 6 32.9 to 34.5 41 4.4 to 5.2 7 33.8 to 34.5 41 5.3 to 6.1 8 34.6 to 35.4 42 6.2 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.0 45 8.8 to 9.5 12 38.1 to 38.0 45 9.6 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 38.8 40.6 48 11.3 to 12.1 15 40.7 to 42.3 50 13.1 to 12.1 15 40.7 to 43.2 51 13.8 17 42.4 to 43.2 51 53 <	+3.3	to	+2.6	+2	26.0	to	26.8	32
+0.7to 0.0 1 28.6 to 29.4 35 0.1 to 0.9 2 29.5 to 30.2 36 1.0 to 1.8 3 30.3 to 31.1 37 1.9 to 2.6 4 31.2 to 32.0 38 2.7 to 3.5 5 32.1 to 32.8 39 3.6 to 4.3 6 32.9 to 33.7 40 4.4 to 5.2 7 33.8 to 34.5 41 5.3 to 6.1 8 34.6 to 35.4 42 6.2 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.9 46 96 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 12.7 18 43.3 to 44.0 52 13.3 to 14.7 18 43.3 to 44.0 52 13.4 to 15.6 19 44.1 to	+2.5	to	+1.7	+1	26.9	to	27.6	33
0.1to 0.9 2 29.5 to 30.2 36 1.0 to 1.8 3 30.3 to 31.1 37 1.9 to 2.6 4 31.2 32.0 38 2.7 to 3.5 5 32.1 to 32.8 39 3.6 to 4.3 6 32.9 to 33.7 40 4.4 to 5.2 7 33.8 to 34.5 41 5.3 to 6.1 8 34.6 to 35.4 42 62 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.0 45 8.8 to 9.5 12 38.1 to 38.0 45 8.8 to 9.5 12 38.1 to 39.7 47 10.5 to 10.4 13 39.0 to 39.7 47 10.5 to 11.4 39.8 to 40.6 48 11.3 to 12.1 14 39.8 to 40.6 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 13.8 17 42.4 to 43.2 51 13.9 to 16.4 20 45.0 to 45.8 54 <	+1.6	to	+0.8	0	27.7	to	28.5	34
1.0to1.8330.3to31.1371.9to2.6431.2to32.0382.7to3.5532.1to32.8393.6to4.3632.9to3.7404.4to5.2733.8to34.5415.3to6.1834.6to35.4426.2to6.9935.5to36.3437.0to7.81036.4to37.1447.9to8.71137.238.0458.8to9.51238.1to38.9469.6to10.41339.0to39.74710.5to11.21439.8to40.64811.3to12.11540.7to41.44912.2to13.01641.5to42.35013.1to13.61742.4to43.25113.9to14.71843.3to44.05214.8to15.61944.1to44.95315.7to16.42045.0to45.85416.5to17.32145.9to555617.4to18.22246.7to47.5	+0.7	to	0.0	1	28.6	to	29.4	35
1.9to 2.6 4 31.2 to 32.0 38 2.7 to 3.5 5 32.1 to 32.8 39 3.6 to 4.3 6 32.9 to 33.7 40 4.4 to 5.2 7 33.8 to 34.5 41 5.3 to 6.1 8 34.6 to 35.4 42 6.2 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.9 46 9.6 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.2 51 13.8 17 42.4 to 43.2 51 13.8 57 13.1 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 15.6 19 44.1 to 49.2 58 54 15.7 to 16.4 20 45.0 to 45.8 54 15.7 to 16.4 20 45.0 to	0.1	to	0.9	2	29.5	to	30.2	36
2.7to 3.5 5 32.1 to 32.8 39 3.6 to 4.3 6 32.9 to 33.7 40 4.4 to 5.2 7 33.8 to 34.5 41 5.3 to 6.1 8 34.6 to 35.4 42 6.2 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.0 45 8.8 to 9.5 12 38.1 to 38.9 46 9.6 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 43.2 51 13.9 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.9 to 45.8 54 16.5 17.3 21 45.9 to 46.6 55 17.4 18.2 22 46.7 to 47.5 56 18.3 19.0 23 47.6 to 48.3 57	1.0	to	1.8	3	30.3	to	31.1	37
3.6to 4.3 6 32.9 to 33.7 40 4.4 to 5.2 7 33.8 to 34.5 41 5.3 to 6.1 8 34.6 to 35.4 42 6.2 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.0 45 8.8 to 9.5 12 38.1 to 38.9 46 9.6 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 13.8 17 42.4 to 43.2 51 13.9 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 49.2 58 20.0 to 20.7 25.5 49.3 to<	1.9	to	2.6	4	31.2	to	32.0	38
4.4to 5.2 7 33.8 to 34.5 41 5.3 to 6.1 8 34.6 to 35.4 42 6.2 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.9 46 9.6 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 12.1 15 40.7 to 44.9 52 13.4 to 15.6 19 44.1 to 42.3 50 13.1 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 to 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 20.8 to 21.6 26 5	2.7	to	3.5	5	32.1	to	32.8	39
5.3to 6.1 8 34.6 to 35.4 42 6.2 to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.0 45 8.8 to 9.5 12 38.1 to 39.9 46 9.6 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 13.8 17 42.4 to 43.2 51 13.9 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 17.3 21 45.9 to 46.6 55 17.4 19.0 23 47.6 to 48.3 57 19.1 19.0 23 47.6 to 48.3 57 19.1 to 20.7 25 49.3 to 50.1 59 20.0 to 20.7 25.5 27 51.0 51.8 61 <	3.6	to	4.3	6	32.9	to	33.7	40
6.2to 6.9 9 35.5 to 36.3 43 7.0 to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.0 45 8.8 to 9.5 12 38.1 to 38.9 46 9.6 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 13.8 17 42.4 to 43.2 51 13.9 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 17.3 21 45.9 to 46.6 55 17.4 18.2 22 46.7 to 47.5 56 18.3 19.0 23 47.6 to 48.3 57 19.1 to 19.0 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 22.6 to 23.3 28 51.9 to 53.5	4.4	to	5.2	7	33.8	to	34.5	41
7.0to 7.8 10 36.4 to 37.1 44 7.9 to 8.7 11 37.2 to 38.0 45 8.8 to 9.5 12 38.1 to 38.9 46 9.6 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 12.1 18 43.3 to 44.0 52 13.4 to 13.8 17 42.4 to 43.2 51 13.9 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 22.8 to 21.6 26 50.2 to <td>5.3</td> <td>to</td> <td>6.1</td> <td>8</td> <td>34.6</td> <td>to</td> <td>35.4</td> <td>42</td>	5.3	to	6.1	8	34.6	to	35.4	42
7.9to 8.7 11 37.2 to 38.0 45 8.8 to 9.5 12 38.1 to 38.9 46 9.6 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 13.8 17 42.4 to 43.2 51 13.9 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 to 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 21.6 26 50.2 to 50.9 60 21.7 to 22.5 27 51.0 to 51.8 61 22.6 to 23.3 28 51.9 to 53.5 63	6.2	to	6.9	9	35.5	to	36.3	43
8.8to 9.5 12 38.1 to 38.9 46 9.6 to 10.4 13 39.0 to 39.7 47 10.5 to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 13.8 17 42.4 to 43.2 51 13.9 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 to 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 20.8 to 21.6 26 50.2 to 50.9 60 21.7 to 22.5 27 51.0 to 51.8 61 22.6 to 23.3 28 51.9 to 53.5 63	7.0	to	7.8	10	36.4	to	37.1	44
9.6to10.413 39.0 to 39.7 47 10.5to11.214 39.8 to 40.6 48 11.3to12.115 40.7 to 41.4 49 12.2to13.016 41.5 to 42.3 50 13.1to13.817 42.4 to 43.2 51 13.9to14.718 43.3 to 44.0 52 14.8to15.619 44.1 to 44.9 53 15.7to16.420 45.0 to 45.8 54 16.5to17.321 45.9 to 46.6 55 17.4to18.222 46.7 to 47.5 56 18.3to19.023 47.6 to 48.3 57 19.1to19.924 48.4 to 49.2 58 20.0to20.725 49.3 to 50.1 59 20.8to21.626 50.2 to 50.9 60 21.7to22.527 51.0 to 51.8 61 22.6to23.328 51.9 to 53.5 63	7.9	to	8.7	11	37.2	to	38.0	45
10.5to 11.2 14 39.8 to 40.6 48 11.3 to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 13.8 17 42.4 to 43.2 51 13.9 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 to 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 20.8 to 21.6 26 50.2 to 51.8 61 22.6 to 23.3 28 51.9 to 52.7 62 23.4 to 24.2 29 52.8 to 53.5 63	8.8	to	9.5	12	38.1	to	38.9	46
11.3to 12.1 15 40.7 to 41.4 49 12.2 to 13.0 16 41.5 to 42.3 50 13.1 to 13.8 17 42.4 to 43.2 51 13.9 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 to 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 20.8 to 21.6 26 50.2 to 50.9 60 21.7 to 22.5 27 51.0 to 51.8 61 22.6 to 23.3 28 51.9 to 52.7 62 23.4 to 24.2 29 52.8 to 53.5 63	9.6	to	10.4	13	39.0	to	39.7	47
12.2to 13.0 16 41.5 to 42.3 50 13.1 to 13.8 17 42.4 to 43.2 51 13.9 to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 to 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 20.8 to 21.6 26 50.2 to 50.9 60 21.7 to 22.5 27 51.0 to 51.8 61 22.6 to 23.3 28 51.9 to 52.7 62 23.4 to 24.2 29 52.8 to 53.5 63	10.5	to	11.2	14	39.8	to	40.6	48
13.1to13.817 42.4 to 43.2 5113.9to14.718 43.3 to 44.0 5214.8to15.619 44.1 to 44.9 5315.7to16.420 45.0 to 45.8 5416.5to17.321 45.9 to 46.6 5517.4to18.222 46.7 to 47.5 5618.3to19.023 47.6 to 49.2 5820.0to20.725 49.3 to 50.1 5920.8to21.62650.2to 50.9 60 21.7to22.527 51.0 to 51.8 61 22.6to23.328 51.9 to 52.7 62 23.4to24.229 52.8 to 53.5 63	11.3	to	12.1	15	40.7	to	41.4	49
13.9to 14.7 18 43.3 to 44.0 52 14.8 to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 to 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 20.8 to 21.6 26 50.2 to 50.9 60 21.7 to 22.5 27 51.0 to 51.8 61 22.6 to 23.3 28 51.9 to 52.7 62 23.4 to 24.2 29 52.8 to 53.5 63	12.2	to	13.0	16	41.5	to	42.3	50
14.8to 15.6 19 44.1 to 44.9 53 15.7 to 16.4 20 45.0 to 45.8 54 16.5 to 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 20.8 to 21.6 26 50.2 to 50.9 60 21.7 to 22.5 27 51.0 to 51.8 61 22.6 to 23.3 28 51.9 to 52.7 62 23.4 to 24.2 29 52.8 to 53.5 63	13.1	to	13.8	17	42.4	to	43.2	51
15.7to 16.4 20 45.0 to 45.8 54 16.5 to 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 20.8 to 21.6 26 50.2 to 50.9 60 21.7 to 22.5 27 51.0 to 51.8 61 22.6 to 23.3 28 51.9 to 52.7 62 23.4 to 24.2 29 52.8 to 53.5 63	13.9	to	14.7	18	43.3	to	44.0	52
16.5to 17.3 21 45.9 to 46.6 55 17.4 to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 20.8 to 21.6 26 50.2 to 50.9 60 21.7 to 22.5 27 51.0 to 51.8 61 22.6 to 23.3 28 51.9 to 52.7 62 23.4 to 24.2 29 52.8 to 53.5 63	14.8	to	15.6	19	44.1	to	44.9	53
17.4to 18.2 22 46.7 to 47.5 56 18.3 to 19.0 23 47.6 to 48.3 57 19.1 to 19.9 24 48.4 to 49.2 58 20.0 to 20.7 25 49.3 to 50.1 59 20.8 to 21.6 26 50.2 to 50.9 60 21.7 to 22.5 27 51.0 to 51.8 61 22.6 to 23.3 28 51.9 to 52.7 62 23.4 to 24.2 29 52.8 to 53.5 63	15.7	to	16.4	20	45.0	to	45.8	54
18.3to19.02347.6to48.35719.1to19.92448.4to49.25820.0to20.72549.3to50.15920.8to21.62650.2to50.96021.7to22.52751.0to51.86122.6to23.32851.9to52.76223.4to24.22952.8to53.563	16.5	to	17.3	21	45.9	to	46.6	55
19.1to19.92448.4to49.25820.0to20.72549.3to50.15920.8to21.62650.2to50.96021.7to22.52751.0to51.86122.6to23.32851.9to52.76223.4to24.22952.8to53.563		to	18.2	22	46.7	to	47.5	56
20.0to20.72549.3to50.15920.8to21.62650.2to50.96021.7to22.52751.0to51.86122.6to23.32851.9to52.76223.4to24.22952.8to53.563	18.3	to	19.0	23		to	48.3	57
20.8to21.62650.2to50.96021.7to22.52751.0to51.86122.6to23.32851.9to52.76223.4to24.22952.8to53.563	19.1	to	19.9	24	48.4	to	49.2	
21.7to22.52751.0to51.86122.6to23.32851.9to52.76223.4to24.22952.8to53.563	20.0	to	20.7	25	49.3	to	50.1	59
22.6 to23.32851.9 to52.76223.4 to24.22952.8 to53.563	20.8	to	21.6	26	50.2	to	50.9	60
23.4 to 24.2 29 52.8 to 53.5 63	21.7	to	22.5	27	51.0	to	51.8	61
	22.6	to	23.3			to	52.7	
53.6 to 54.0 64	23.4	to	24.2	29	52.8	to		
					53.6	to	54.0	64

INSTRUCTIONS

* When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap[™] which corresponds with it in the right column.



Colorado Fox Hollow Golf Course - Links-Canyon Women's - Silver

Course Rating[™]: 70.4 - Slope Rating[®]: 125 - Par: 71

Handio	cap I	ndex®	Course Handicap™	Handic	ap I	ndex®	Course Handicap™
+5.0	to	+4.5	+6	24.5	to	25.4	27
+4.4	to	+3.6	+5	25.5	to	26.3	28
+3.5	to	+2.7	+4	26.4	to	27.2	29
+2.6	to	+1.8	+3	27.3	to	28.1	30
+1.7	to	+0.9	+2	28.2	to	29.0	31
+0.8	to	0.0	+1	29.1	to	29.9	32
0.1	to	0.9	0	30.0	to	30.8	33
1.0	to	1.8	1	30.9	to	31.7	34
1.9	to	2.8	2	31.8	to	32.6	35
2.9	to	3.7	3	32.7	to	33.5	36
3.8	to	4.6	4	33.6	to	34.4	37
4.7	to	5.5	5	34.5	to	35.3	38
5.6	to	6.4	6	35.4	to	36.2	39
6.5	to	7.3	7	36.3	to	37.1	40
7.4	to	8.2	8	37.2	to	38.0	41
8.3	to	9.1	9	38.1	to	38.9	42
9.2	to	10.0	10	39.0	to	39.8	43
10.1	to	10.9	11	39.9	to	40.7	44
11.0	to	11.8	12	40.8	to	41.6	45
11.9	to	12.7	13	41.7	to	42.5	46
12.8	to	13.6	14	42.6	to	43.4	47
13.7	to	14.5	15	43.5	to	44.3	48
14.6	to	15.4	16	44.4	to	45.2	49
15.5	to	16.3	17	45.3	to	46.1	50
16.4	to	17.2	18	46.2	to	47.0	51
17.3	to	18.1	19	47.1	to	48.0	52
18.2	to	19.0	20	48.1	to	48.9	53
19.1	to	19.9	21	49.0	to	49.8	54
20.0	to	20.8	22	49.9	to	50.7	55
20.9	to	21.7	23	50.8	to	51.6	56
21.8	to	22.6	24	51.7	to	52.5	57
22.7	to	23.5	25	52.6	to	53.4	58
23.6	to	24.4	26	53.5	to	54.0	59

INSTRUCTIONS

* When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap[™] which corresponds with it in the right column.



Colorado Fox Hollow Golf Course - Links-Canyon Women's - Silver-Gold

Course Rating[™]: 68.6 - Slope Rating[®]: 125 - Par: 71

Handio	cap I	ndex®	Course Handicap™	Handicap	Index®	Course Handicap™
+5.0	to	+4.7	+8	24.4 to	25.2	25
+4.6	to	+3.8	+7	25.3 to	26.1	26
+3.7	to	+2.9	+6	26.2 to	27.0	27
+2.8	to	+1.9	+5	27.1 to	27.9	28
+1.8	to	+1.0	+4	28.0 to	28.8	29
+0.9	to	+0.1	+3	28.9 to	29.7	30
0.0	to	0.8	+2	29.8 to	30.6	31
0.9	to	1.7	+1	30.7 to	31.5	32
1.8	to	2.6	0	31.6 to	32.4	33
2.7	to	3.5	1	32.5 to	33.3	34
3.6	to	4.4	2	33.4 to	34.2	35
4.5	to	5.3	3	34.3 to	35.1	36
5.4	to	6.2	4	35.2 to	36.0	37
6.3	to	7.1	5	36.1 to	36.9	38
7.2	to	8.0	6	37.0 to	37.8	39
8.1	to	8.9	7	37.9 to	38.7	40
9.0	to	9.8	8	38.8 to	39.6	41
9.9	to	10.7	9	39.7 to	40.5	42
10.8	to	11.6	10	40.6 to	41.4	43
11.7	to	12.5	11	41.5 to	42.3	44
12.6	to	13.4	12	42.4 to	43.3	45
13.5	to	14.3	13	43.4 to	44.2	46
14.4	to	15.2	14	44.3 to	45.1	47
15.3	to	16.1	15	45.2 to	46.0	48
16.2	to	17.0	16	46.1 to	46.9	49
17.1	to	17.9	17	47.0 to	47.8	50
18.0	to	18.8	18	47.9 to	48.7	51
18.9	to	19.7	19	48.8 to	49.6	52
19.8	to	20.7	20	49.7 to	50.5	53
20.8	to	21.6	21	50.6 to	51.4	54
21.7	to	22.5	22	51.5 to	52.3	55
22.6	to	23.4	23	52.4 to	53.2	56
23.5	to	24.3	24	53.3 to	54.0	57

INSTRUCTIONS

* When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap[™] which corresponds with it in the right column.



Colorado Fox Hollow Golf Course - Links-Canyon Women's - Gold

Course Rating[™]: 67.1 - Slope Rating[®]: 121 - Par: 71

Handica	ap Ir	ndex®	Course	Handicap™	Handio	cap I	ndex®	Course	Handicap™
+5.0	to	+4.3		+9	24.7	to	25.5		23
+4.2	to	+3.4		+8	25.6	to	26.5		24
	to	+2.5		+7	26.6	to	27.4		25
	to	+1.5		+6	27.5	to	28.3		26
+1.4	to	+0.6		+5	28.4	to	29.3		27
+0.5	to	0.3		+4	29.4	to	30.2		28
0.4	to	1.3		+3	30.3	to	31.1		29
1.4	to	2.2		+2	31.2	to	32.1		30
2.3	to	3.1		+1	32.2	to	33.0		31
3.2	to	4.1		0	33.1	to	33.9		32
4.2	to	5.0		1	34.0	to	34.9		33
5.1	to	5.9		2	35.0	to	35.8		34
6.0	to	6.9		3	35.9	to	36.7		35
7.0	to	7.8		4	36.8	to	37.7		36
7.9	to	8.7		5	37.8	to	38.6		37
8.8	to	9.7		6	38.7	to	39.5		38
9.8	to	10.6		7	39.6	to	40.5		39
10.7	to	11.5		8	40.6	to	41.4		40
11.6	to	12.5		9	41.5	to	42.3		41
12.6	to	13.4		10	42.4	to	43.3		42
13.5	to	14.3		11	43.4	to	44.2		43
14.4	to	15.3		12	44.3	to	45.1		44
15.4	to	16.2		13	45.2	to	46.1		45
16.3	to	17.1		14	46.2	to	47.0		46
17.2	to	18.1		15	47.1	to	48.0		47
18.2	to	19.0		16	48.1	to	48.9		48
19.1	to	19.9		17	49.0	to	49.8		49
20.0	to	20.9		18	49.9	to	50.8		50
21.0	to	21.8		19	50.9	to	51.7		51
21.9	to	22.7		20	51.8	to	52.6		52
22.8	to	23.7		21	52.7	to	53.6		53
23.8	to	24.6		22	53.7	to	54.0		54

INSTRUCTIONS

* When using the table, find the range containing your Handicap Index® in the left column. Play with the Course Handicap[™] which corresponds with it in the right column.